



TEST REPORT

Send To: 1P430
CALIFORNIA BOTTLING COMPANY INCORPORATED
8250 INDUSTRIAL AVENUE
ROSEVILLE CA 95678
Attn: MR. GABE CARDENAS

Customer: 1P430
CALIFORNIA BOTTLING COMPANY
INCORPORATED
8250 INDUSTRIAL AVENUE
ROSEVILLE CA 95678
Attn: MR. GABE CARDENAS

Plant: 1P431
CALIFORNIA BOTTLING COMPANY
INCORPORATED
8250 INDUSTRIAL AVENUE
ROSEVILLE CA 95678
Attn: MR. GABE CARDENAS


Product: USFDA 50 STATE - PRODUCT - [AB] (Distilled Water)
Test Type: AA - Annual Collection

Thank you for having your product tested by NSF.

The enclosed report details the result of the testing performed on your product. Your program representative will be contacting you in the near future if there are any remaining issues concerning the status of this product.

NSF is pleased to announce that you can now access your test reports and product compliance certificate via NSF Online. It is a web-based solution that allows you to make critical business decisions by giving you instant access to your data whenever you need it. NSF Online is a secure website exclusively for NSF customers that offers 24/7 access to your account information at the click of a mouse. Visit www.nsf.org, and in the top right corner, you will see a Client Log-In Link. Click on that link and follow the instructions. If you don't know your password/personal ID, please contact your project manager or e-mail: nsfonline@nsf.org.

Please do not hesitate to contact us if you have any immediate questions pertaining to your product.

Reviewer: 
Kurtis Kneen - Director, Chemistry Laboratory

Status: **Compliant**

CC: Program: 0195 - Beverages Program
Program Rep DEBORAH GLENN
Region: 01 - Domestic
PA Project: 9030289

General Information

Standard: USFDA - USFDA CFR Title 21 Part 165.110 Bottled Water

Brand Name: California Bottling Co.
 Clients Name for Product: Distilled Water
 Date and Time Collected: Best By 32611 C09085 14:13
 Fluoride Action Limit: 2.4
 Sample Taken From: Bottle

Sample Id: S-0000638131
 Description: Distilled Water Best By 32611 C09085 14:13
 Sampled Date: 04/01/2009
 Received Date: 03/31/2009

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
Physical Quality					
Alkalinity as CaCO3	5	ND		mg/LCaCO3	
Color	5	ND	15	Color Unit	Pass
Specific Conductance	0.1	0.9		umhos/cm	
Corrosivity	0	-4.89			
Hardness, Total	2	ND		mg/LCaCO3	
Odor, Threshold	1	1	3	TON	Pass
Solids Total Dissolved	5	ND	500	mg/L	Pass
Turbidity	0.1	0.1	5	NTU	Pass
pH	0.01	6.81			
Temperature	0	20		deg. C	
Bicarbonate	5	ND		mg/L HCO3	
Disinfection Residuals/Disinfection By-Products					
Bromate	5	ND	10	ug/L	Pass
Chloramine, Total	0.05	ND	4	mg/L	Pass
Dichloramine	0.05	ND		mg/L	
Monochloramine	0.05	ND		mg/L	
Nitrogen trichloride	0.05	ND		mg/L	
Chlorine, Total Residual	0.05	ND	4	mg/L	Pass
Chlorite	10	ND	1000	ug/L	Pass
Chlorine Dioxide	0.1	ND	0.8	mg/L	Pass
Bromochloroacetic Acid	1	ND		ug/L	
Dibromoacetic Acid	1	ND		ug/L	
Dichloroacetic Acid	1	ND		ug/L	
Monobromoacetic Acid	1	ND		ug/L	
Monochloroacetic Acid	2	ND		ug/L	
Total Haloacetic Acid	1	ND	60	ug/L	Pass
Trichloroacetic Acid	1	ND		ug/L	
Radiologicals					
P1 Gross Alpha	3	3	15	pCi/L	Pass
P1 Gross Beta	4	ND	50	pCi/L	Pass
Radium 226 by SM705 (modified)	1	ND		pCi/L	
Radium 228 by Ra-05	1	ND		pCi/L	
Total Radium	1	ND	5	pCi/L	Pass
Uranium	0.001	ND	0.03	mg/L	Pass
Inorganic Chemicals					

Sample Id: S-0000638131

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
Inorganic Chemicals					
Aluminum	0.01	ND	0.2	mg/L	Pass
Antimony	0.0005	ND	0.006	mg/L	Pass
Arsenic	0.002	ND	0.01	mg/L	Pass
* Asbestos in Water (Ref: EPA 600/4-83/043,100.1)					
Amphibole Fibers	0.2	ND		MFL	
Chrysotile Fibers	0.2	ND		MFL	
Single Fiber Detection Limit	0.2	ND		MFL	
Barium	0.001	ND	2	mg/L	Pass
Beryllium	0.0005	ND	0.004	mg/L	Pass
Bromide	10	ND		ug/L	
Cadmium	0.0002	ND	0.005	mg/L	Pass
Calcium	0.02	ND		mg/L	
Chloride	2	ND	250	mg/L	Pass
Chromium (includes Hexavalent Chromium)	0.001	ND	0.1	mg/L	Pass
Copper	0.001	ND	1	mg/L	Pass
Cyanide, Total	0.01	ND	0.1	mg/L	Pass
Fluoride	0.1	ND	2.4	mg/L	Pass
Iron	0.02	ND	0.3	mg/L	Pass
Lead	0.001	ND	0.005	mg/L	Pass
Magnesium	0.02	ND		mg/L	
Manganese	0.001	ND	0.05	mg/L	Pass
Mercury	0.0002	ND	0.002	mg/L	Pass
Nickel	0.001	ND	0.1	mg/L	Pass
Nitrogen, Nitrate	0.05	ND	10	mg/L N	Pass
Nitrogen, Nitrite	0.025	ND	1	mg/L N	Pass
Total Nitrate + Nitrite-Nitrogen	0.02	ND	10	mg/L	Pass
Potassium	0.5	ND		mg/L	
Selenium	0.002	ND	0.05	mg/L	Pass
Silver	0.001	ND	0.1	mg/L	Pass
Sodium	0.5	ND		mg/L	
Sulfur, Sulfate	0.5	ND	250	mg/L	Pass
Surfactants (MBAS)	0.2	ND		mg/L	Pass
Thallium	0.0002	ND	0.002	mg/L	Pass
Phenolics	0.001	ND	0.001	mg/L	Pass
Zinc	0.01	ND	5	mg/L	Pass
Organic Chemicals					
Diquat (Ref: EPA 549.2)					
Diquat	0.4	ND	20	ug/L	Pass
Endothall (Ref: EPA 548.1) - (ug/L)					
Endothall	9	ND	100	ug/L	Pass
Glyphosate (Ref: EPA 547)					
Glyphosate	6	ND	700	ug/L	Pass
Perchlorate (Ref: EPA 314.0)					
Perchlorate	1	ND		ug/L	
2,3,7,8-TCDD (Ref: EPA 1613B)					
2,3,7,8-Tetrachlorodibenzo-p-dioxin	10	ND	30	pg/L	Pass
Carbamate Pesticides (Ref: 531.2)					

Sample Id: S-0000638131

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
3-Hydroxycarbofuran	1	ND		ug/L	
Aldicarb	1	ND		ug/L	
Aldicarb sulfone	1	ND		ug/L	
Aldicarb sulfoxide	1	ND		ug/L	
Carbaryl	1	ND		ug/L	
Carbofuran	1	ND	40	ug/L	Pass
Methomyl	1	ND		ug/L	
Oxamyl	1	ND	200	ug/L	Pass
Herbicides (Ref: EPA 515.3)					
2,4,5-TP	0.2	ND	50	ug/L	Pass
2,4-D	0.1	ND	70	ug/L	Pass
Bentazon	0.2	ND		ug/L	
Dalapon	1	ND	200	ug/L	Pass
DCPA Acid Metabolites	0.2	ND		ug/L	
Dicamba	0.1	ND		ug/L	
Dinoseb	0.2	ND	7	ug/L	Pass
Pentachlorophenol	0.04	ND	1	ug/L	Pass
Picloram	0.1	ND	500	ug/L	Pass
Multicomponent Pesticides and PCBs (Ref: EPA 505)					
Chlordane	0.2	ND	2	ug/L	Pass
PCB 1016	0.3	ND	0.5	ug/L	Pass
PCB 1221	0.4	ND	0.5	ug/L	Pass
PCB 1232	0.4	ND	0.5	ug/L	Pass
PCB 1242	0.3	ND	0.5	ug/L	Pass
PCB 1248	0.2	ND	0.5	ug/L	Pass
PCB 1254	0.2	ND	0.5	ug/L	Pass
PCB 1260	0.3	ND	0.5	ug/L	Pass
Toxaphene	1	ND	3	ug/L	Pass
Semivolatile Organic Compounds (Ref: EPA 525.2)					
2,4-Dinitrotoluene	0.5	ND		ug/L	
2,6-Dinitrotoluene	0.5	ND		ug/L	
Alachlor	0.1	ND	2	ug/L	Pass
Aldrin	0.1	ND		ug/L	
Atrazine	0.2	ND	3	ug/L	Pass
Benzo(a)Pyrene	0.1	ND	0.2	ug/L	Pass
bis(2-Ethylhexyl)adipate	2	ND	400	ug/L	Pass
bis(2-Ethylhexyl)phthalate	2	ND		ug/L	
Butachlor	0.2	ND		ug/L	
Butylbenzylphthalate	2	ND		ug/L	
Di-n-butylphthalate	2	ND		ug/L	
Dieldrin	0.5	ND		ug/L	
Diethylphthalate	2	ND		ug/L	
Dimethylphthalate	2	ND		ug/L	
Endrin	0.1	ND	2	ug/L	Pass
EPTC	0.5	ND		ug/L	
Heptachlor	0.1	ND	0.4	ug/L	Pass

Sample Id: S-0000638131

Testing Parameter	Detection LLimit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
Hepachlor Epoxide	0.1	ND	0.2	ug/L	Pass
Hexachlorobenzene	0.1	ND	1	ug/L	Pass
Hexachlorocyclopentadiene	0.1	ND	50	ug/L	Pass
Lindane	0.1	ND	0.2	ug/L	Pass
Methoxychlor	0.1	ND	40	ug/L	Pass
Metolachlor	0.1	ND		ug/L	
Metribuzin	0.1	ND		ug/L	
Molinate	0.1	ND		ug/L	
p,p'-DDE (4,4'-DDE)	0.5	ND		ug/L	
Propachlor	0.1	ND		ug/L	
Simazine	0.2	ND	4	ug/L	Pass
Terbacil	0.5	ND		ug/L	
Volatiles: EDB and DBCP (Ref: EPA 504.1)					
1,2-Dibromo-3-Chloropropane (DBCP)	0.01	ND	0.2	ug/L	Pass
Ethylene Dibromide (EDB)	0.01	ND	0.05	ug/L	Pass
Miscellaneous					
1,1,1,2-Tetrachloroethane	0.5	ND		ug/L	
1,1,1-Trichloroethane	0.5	ND	200	ug/L	Pass
1,1,2,2-Tetrachloroethane	0.5	ND		ug/L	
1,1,2-Trichloroethane	0.5	ND	5	ug/L	Pass
1,1-Dichloroethane	0.5	ND		ug/L	
1,1-Dichloroethylene	0.5	ND	7	ug/L	Pass
1,1-Dichloropropene	0.5	ND		ug/L	
1,2,3-Trichlorobenzene	0.5	ND		ug/L	
1,2,3-Trichloropropane	0.5	ND		ug/L	
1,2,3-Trimethylbenzene	0.5	ND		ug/L	
1,2,4-Trichlorobenzene	0.5	ND	70	ug/L	Pass
1,2,4-Trimethylbenzene	0.5	ND		ug/L	
1,2-Dichlorobenzene	0.5	ND	600	ug/L	Pass
1,2-Dichloroethane	0.5	ND	5	ug/L	Pass
1,2-Dichloropropane	0.5	ND	5	ug/L	Pass
1,3,5-Trimethylbenzene	0.5	ND		ug/L	
1,3-Dichlorobenzene	0.5	ND		ug/L	
1,3-Dichloropropane	0.5	ND		ug/L	
1,4-Dichlorobenzene	0.5	ND	75	ug/L	Pass
2,2-Dichloropropane	0.5	ND		ug/L	
2-Chlorotoluene	0.5	ND		ug/L	
4-Chlorotoluene	0.5	ND		ug/L	
Benzene	0.5	ND	5	ug/L	Pass
Bromobenzene	0.5	ND		ug/L	
Bromochloromethane	0.5	ND		ug/L	
Bromodichloromethane	0.5	ND		ug/L	
Bromoform	0.5	ND		ug/L	
Bromomethane	0.5	ND		ug/L	
Carbon Tetrachloride	0.5	ND	5	ug/L	Pass
Chlorobenzene	0.5	ND	100	ug/L	Pass

This report shall not be reproduced, except in its entirety, without the written approval of NSF. This report does not represent NSF Certification or authorization to use the NSF Mark. Authorization to use the NSF Mark is limited to products appearing in the Company's Official NSF Listing, (www.nsf.org). The results relate only to those items tested.

Original reports bear a light blue NSF Mark and border.

Sample Id: S-0000638131

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
Miscellaneous					
Chlorodibromomethane	0.5	ND		ug/L	
Chloroethane	0.5	ND		ug/L	
Chloroform	0.5	0.8		ug/L	
Chloromethane	0.5	ND		ug/L	
cis-1,2-Dichloroethylene	0.5	ND	70	ug/L	Pass
cis-1,3-Dichloropropene	0.5	ND		ug/L	
Dibromomethane	0.5	ND		ug/L	
Dichlorodifluoromethane	0.5	ND		ug/L	
Ethyl Benzene	0.5	ND	700	ug/L	Pass
Hexachlorobutadiene	0.5	ND		ug/L	
Isopropylbenzene (Cumene)	0.5	ND		ug/L	
m+p-Xylenes	1	ND		ug/L	
Methyl-tert-Butyl Ether (MTBE)	0.5	ND		ug/L	
Methylene Chloride	0.5	ND	5	ug/L	Pass
n-Butylbenzene	0.5	ND		ug/L	
n-Propylbenzene	0.5	ND		ug/L	
Naphthalene	0.5	ND		ug/L	
o-Xylene	0.5	ND	10000	ug/L	Pass
p-Isopropyltoluene (Cymene)	0.5	ND		ug/L	
sec-Butylbenzene	0.5	ND		ug/L	
Styrene	0.5	ND	100	ug/L	Pass
tert-Butylbenzene	0.5	ND		ug/L	
Tetrachloroethylene	0.5	ND	5	ug/L	Pass
Toluene	0.5	ND	1000	ug/L	Pass
Total Trihalomethanes	0.5	0.8	80	ug/L	Pass
Total Xylenes	0.5	ND	10000	ug/L	Pass
trans-1,2-Dichloroethylene	0.5	ND	100	ug/L	Pass
trans-1,3-Dichloropropene	0.5	ND		ug/L	
Trichloroethylene	0.5	ND	5	ug/L	Pass
Trichlorofluoromethane	0.5	ND		ug/L	
Trichlorotrifluoroethane	0.5	ND		ug/L	
Vinyl Chloride	0.5	ND	2	ug/L	Pass

<<Additional Information>>

Sample Id: S-0000638131

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
Physical Quality			
* Alkalinity (Ref: SM 2320-B)	1-APR-2009		
* Color (Ref: SM 2120-B)	1-APR-2009	14:05	
Specific Conductance (Ref: EPA 120.1)	1-APR-2009		
* Corrosivity (Ref: SM 2330-B)			
* Hardness, Total (Ref: EPA 200.7)	8-APR-2009		
* Odor, Threshold Number (Ref: EPA 140.1)	01-APR-2009		
* Solids, Total Dissolved (Ref: SM 2540-C)	2-APR-2009		
Turbidity (Ref: EPA 180.1)	1-APR-2009	15:15	
pH (Ref: EPA 150.1)	1-APR-2009	10:45	
* Bicarbonate (Ref: SM 2320-B)			
Disinfection Residuals/Disinfection By-Products			
Bromate (Ref: EPA 300.1)	1-APR-2009		
* Chloramines (Ref: SM 4500-Cl-G)	1-APR-2009	11:45	
* Chlorine, Total Residual (Ref: SM 4500-CL-G)	1-APR-2009	14:30	
Chlorite (Ref: EPA 300.1)	1-APR-2009		
* Chlorine Dioxide (Ref: SM 4500-ClO2-D)	1-APR-2009	11:45	
Haloacetic Acids (Ref: EPA 552.2)	7-APR-2009		3-APR-2009
Radiologicals			
(1) * Gross Alpha/Beta Counts (Ref: EPA 900)- General Engineering	11-APR-2009		
(1) * Total Radium (General Engineering)	15-APR-2009		
Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)	8-APR-2009		
Inorganic Chemicals			
Aluminum (Ref: EPA 200.8)	8-APR-2009		
Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)	8-APR-2009		
Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)	8-APR-2009		
(2) * Asbestos in Water (Ref: EPA 600/4-83/043,100.1)	8-APR-2009	0829	
Barium in Drinking Water by ICPMS (Ref: EPA 200.8)	8-APR-2009		
Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)	8-APR-2009		
Bromide (Ref: EPA 300.1)	1-APR-2009		
Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)	8-APR-2009		
Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)	8-APR-2009		
Chloride (Ref: EPA 300.0)	1-APR-2009		
Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)	8-APR-2009		
Copper in Drinking Water by ICPMS (Ref: EPA 200.8)	8-APR-2009		

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
Inorganic Chemicals			
Cyanide, Total (Ref: EPA 335.4)	8-APR-2009		
Fluoride (Ref: SM 4500-F-C)	2-APR-2009		
Iron in Drinking Water by ICPAES (Ref: EPA 200.7)	8-APR-2009		
Lead in Drinking Water by ICPMS (Ref: EPA 200.8)	8-APR-2009		
Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)	8-APR-2009		
Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)	8-APR-2009		
Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)	8-APR-2009		
Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)	8-APR-2009		
Nitrogen, Nitrate (Ref: EPA 300.0)	1-APR-2009	1018	
Nitrogen, Nitrite (Ref: EPA 300.0)	1-APR-2009	1018	
Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)			
Potassium by ICPAES (Ref: EPA 200.7)	8-APR-2009		
Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)	8-APR-2009		
Silver in Drinking Water by ICPMS (Ref: EPA 200.8)	8-APR-2009		
Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)	8-APR-2009		
Sulfur, Sulfate (Ref: EPA 300.0)	1-APR-2009		
* Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)	1-APR-2009	11:25	
Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)	8-APR-2009		
Phenolics, Total Recoverable (Ref: EPA 420.2)	18-APR-2009		
Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)	8-APR-2009		
Organic Chemicals			
Diquat (Ref: EPA 549.2)	1-APR-2009		1-APR-2009
Endothall (Ref: EPA 548.1) - (ug/L)	6-APR-2009		6-APR-2009
Glyphosate (Ref: EPA 547)	2-APR-2009		
Perchlorate (Ref: EPA 314.0)	2-APR-2009		
2,3,7,8-TCDD (Ref: EPA 1613B)	9-APR-2009		9-APR-2009
Carbamate Pesticides (Ref: 531.2)	3-APR-2009		
Herbicides (Ref: EPA 515.3)	7-APR-2009		7-APR-2009
Multicomponent Pesticides and PCBs (Ref: EPA 505)	8-APR-2009		
Semivolatile Organic Compounds (Ref: EPA 525.2)	9-APR-2009		8-APR-2009
Volatiles: EDB and DBCP (Ref: EPA 504.1)	8-APR-2009		
Miscellaneous			
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)	1-APR-2009		

Testing Laboratories:

	Flag	Id	Address
All work performed at: (Unless otherwise specified)	→	NSF_AA	NSF INTERNATIONAL 789 N. DIXBORO ROAD ANN ARBOR MI 48105
	(1)	GENENG	GEL Laboratories LLC 2040 Savage Road Charleston, SC 29407 NELAP PA certificate number 68-000485 Arizona License #AZ0668
	(2)	BVNA	Bureau Veritas North America 22345 Roethel Dr. Novi, MI 48375 Arizona License #AZ0675

References to Testing Procedures:

NSF Reference	Parameter / Test Description
C0185	* Total Radium (General Engineering)
C1010	* Odor, Threshold Number (Ref: EPA 140.1)
C2015	2,3,7,8-TCDD (Ref: EPA 1613B)
C3012	* Asbestos in Water (Ref: EPA 600/4-83/043,100.1)
C3013	Chloride (Ref: EPA 300.0)
C3014	Bromide (Ref: EPA 300.1)
C3015	Bromate (Ref: EPA 300.1)
C3016	Nitrogen, Nitrate (Ref: EPA 300.0)
C3017	Nitrogen, Nitrite (Ref: EPA 300.0)
C3018	Sulfur, Sulfate (Ref: EPA 300.0)
C3019	Cyanide, Total (Ref: EPA 335.4)
C3021	Phenolics, Total Recoverable (Ref: EPA 420.2)
C3025	Chlorite (Ref: EPA 300.1)
C3033	Aluminum (Ref: EPA 200.8)
C3036	Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)
C3039	Barium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3042	Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3044	Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3047	Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3053	Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3059	Copper in Drinking Water by ICPMS (Ref: EPA 200.8)
C3064	Iron in Drinking Water by ICPAES (Ref: EPA 200.7)
C3072	Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)
C3079	Potassium by ICPAES (Ref: EPA 200.7)
C3085	Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3086	Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)
C3091	Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3094	Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)
C3101	Lead in Drinking Water by ICPMS (Ref: EPA 200.8)
C3114	Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)
C3116	Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3128	Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3136	Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)
C3144	* Solids, Total Dissolved (Ref: SM 2540-C)
C3145	Turbidity (Ref: EPA 180.1)
C3155	* Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)
C3157	* Color (Ref: SM 2120-B)
C3158	Specific Conductance (Ref: EPA 120.1)
C3159	pH (Ref: EPA 150.1)
C3161	* Hardness, Total (Ref: EPA 200.7)
C3166	* Bicarbonate (Ref: SM 2320-B)
C3167	* Chlorine, Total Residual (Ref: SM 4500-CL-G)



This report shall not be reproduced, except in its entirety, without the written approval of NSF. This report does not represent NSF Certification or authorization to use the NSF Mark. Authorization to use the NSF Mark is limited to products appearing in the Company's Official NSF Listing, (www.nsf.org). The results relate only to those items tested.

Original reports bear a light blue NSF Mark and border.

References to Testing Procedures: (Cont'd)

NSF Reference	Parameter / Test Description
C3168	* Chlorine Dioxide (Ref: SM 4500-CIO2-D)
C3169	* Chloramines (Ref: SM 4500-CI-G)
C3170	Fluoride (Ref: SM 4500-F-C)
C3174	* Alkalinity (Ref: SM 2320-B)
C3188	Silver in Drinking Water by ICPMS (Ref: EPA 200.8)
C3210	* Corrosivity (Ref: SM 2330-B)
C3244	* Gross Alpha/Beta Counts (Ref: EPA 900)- General Engineering
C3342	Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)
C4076	Carbamate Pesticides (Ref: 531.2)
C4145	Diquat (Ref: EPA 549.2)
C4154	Endothall (Ref: EPA 548.1) - (ug/L)
C4193	Glyphosate (Ref: EPA 547)
C4198	Haloacetic Acids (Ref: EPA 552.2) (comment: NELAC approved method)
C4202	Herbicides (Ref: EPA 515.3)
C4292	Multicomponent Pesticides and PCBs (Ref: EPA 505)
C4343	Semivolatile Organic Compounds (Ref: EPA 525.2)
C4411	Volatiles: EDB and DBCP (Ref: EPA 504.1)
C4496	Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)
C4497	Perchlorate (Ref: EPA 314.0)
C4661	Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)

Certifications:

Michigan (# 0048)	Florida (# E-87752 FL)	California (# 01149 CA)
New York (# 11206)	Connecticut (# PH-0625)	New Jersey (# 62770)
South Carolina (# 81005)	Pennsylvania (# 68-00312)	Arizona (# AZ0655)
Hawaii	Indiana	Maryland (# 201)
Nevada (# MI000302007A)	Virginia (# 00045)	Vermont (# VT 11206)

Test descriptions preceded by an asterisk "*" indicate that testing has been performed per NSF International requirements but is not within its scope of accreditation.

Notes:

- 1) Bottled water sold in the United States shall not contain Fluoride in excess of the levels published by the USFDA in 21 CFR Part 165.110. These levels are based on the annual average of maximum daily air temperatures at the location where the bottled water is sold at retail. Please refer to the most current edition of the regulation to determine the Fluoride maximum level that pertains to your product.
- 2) A blank on the FDA SOQ column indicates that no maximum level has been established by the FDA for that contaminant.
- 3) An ND result means that the contaminant was not detected at or above the detection limit for the instrument.





04-09-09
SM

A-00032821

ANALYTICAL RESULTS

Client: NSF INTERNATIONAL

Client Reference No.: **Date Received:** 4/2/2009

Work Order No.: A0904020

Date: 08-Apr-09

Analytical Method: EPA 100.2

Filtration Filter: MCE Filter, .22um

Sample Type: Drinking Water

Effective Filter Area: 1320 mm²

Date Received: 4/2/2009 10:05:30 AM

Grid Opening Size: 0.0104 mm²

Report Date: 4/8/2009 9:57:13 AM

Lab Sample No.	Client Sample Identification	Date Sampled	Date Filtered	Volume Filtered	Dilution Factor	Analysis Date	Analyst	Grid Box Identification
A0904020-002A	S-0000638131	04/01/09 @8:00 am	04/02/09 @1:12 pm	0.075	1	04/08/09 @8:29 am	NG	04-02-09A-1

Analysis	Grid Openings Counted	Reporting Limit (s/mm ²)	Total Asbestos (s/mm ²)	Fibers Counted			Total Asbestos			Sensitivity (MFL)	95 % Confidence Limit	
				Chrysotile	Amphibole	Total	Chrysotile (MFL)	Amphibole (MFL)	Total (MFL)		Low	High
Asbestos	10	9.6	< 9.6	0	0	0	< 0.17	< 0.17	< 0.17	0.17	0	< 0.75

TEM Count Details

Rec	Grid	Grid Opening ID	Count	Length (um)	Width (um)	Structure ID	Structure Type	EDS	Mass (ng)
1	B1	C4A	0	0.0	0.0	None Detected			0
2	B1	C4C	0	0.0	0.0	None Detected			0
3	B1	E4A	0	0.0	0.0	None Detected			0
4	B1	E4C	0	0.0	0.0	None Detected			0
5	B1	F4A	0	0.0	0.0	None Detected			0
6	B2	C4A	0	0.0	0.0	None Detected			0
7	B2	C4C	0	0.0	0.0	None Detected			0
8	B2	E4A	0	0.0	0.0	None Detected			0
9	B2	E4C	0	0.0	0.0	None Detected			0
10	B2	F4A	0	0.0	0.0	None Detected			0

Total Fibers: 0

Total Mass: 0

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 – (843) 556-8171 – www.gel.com

Certificate of Analysis

A-32821

4/17/09 *JK*

Company : NSF International
 Address : 789 Dixboro Road
 Ann Arbor, Michigan 48105

Report Date: April 16, 2009

Contact: Mr. Darrell Williams
 Project: **Drinking Water Analysis**

Client Sample ID:	S-0000638131	Project:	NSFI00302
Sample ID:	227248002	Client ID:	NSFI001
Matrix:	Drinking Water (Potable)		
Collect Date:	01-APR-09 12:00		
Receive Date:	02-APR-09		
Collector:	Client		

Parameter	Qualifier	Result	Uncertainty	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Rad Gas Flow Proportional Counting												
<i>Gross Alpha/Beta in Drinking Water EPA 900.0 "As Received"</i>												
Alpha		3.43	+/-1.92	2.11	3.00	pCi/L		DXF3	04/11/09	2040	856214	1
Beta		3.36	+/-1.55	1.96	4.00	pCi/L						
<i>Radium-228 in Drinking Water EPA 904.0 "As Received"</i>												
Radium-228	U	0.013	+/-0.428	0.772	1.00	pCi/L		JXC5	04/09/09	1027	856216	2
Rad Radium-226												
<i>Radium-226 in Drinking Water EPA 903.1 (De-emanati "As Received"</i>												
Radium-226	U	0.0996	+/-0.195	0.367	1.00	pCi/L		KSD1	04/15/09	1335	855955	3

The following Analytical Methods were performed

Method	Description	Analyst Comments
1	EPA 900.0	
2	EPA 904.0/ EPA 9320	
3	EPA 903.1	

Surrogate/Tracer recovery	Test	Result	Nominal	Recovery %	Acceptable Limits
Barium Carrier	Radium-228 in Drinking Water EPA 904.0 "As Received"			82	(25%-125%)
Yttrium Carrier	Radium-228 in Drinking Water EPA 904.0 "As Received"			91	(25%-125%)

Certificate of Compliance

This is to certify that


EDGE ANALYTICAL, Inc.,
An Accredited Drinking Water Laboratory,
Certification number 046, has completed the analysis of

CHAMELEON BEVERAGE COMPANY INC
“Purified Water”

on April 14, 2009, according to the FDA testing requirements for bottled drinking water. All parameters were found to be in compliance with FDA's and IBWA's published Standard of Quality limits for bottled drinking water.

EDGE
ANALYTICAL
LABORATORIES

Report signed this 14th day of April, 2009.



Lawrence J. Henderson
Laboratory Director



Burlington WA 1620 S Walnut St - 98233
 Corporate Office 800.755.9295 • 360.757.1400 • 360.757.1402fax
 Bellingham WA 805 Orchard Dr Suite 4 - 98225
 Microbiology 360.671.0688 • 360.671.1577fax



FDA STANDARD OF QUALITY REPORT

Client Name: Chameleon Beverage Company, Inc.
 6444 E 26th Street
 Commerce, CA 90040

Reference Number: **09-03110**

Project: FDA Annual Products
 Field ID: FDA Annual Product
 Sample Description: Purified Water
 Sampled By: Hilda Menendez
 Sample Date: 03/05/2009

Lab Number: 6468
 Report Date: 04/14/2009
 Reviewed By: *[Signature]*

Inorganic Chemicals (IOCs)

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	COMMENT
7440-36-0	ANTIMONY	ND	0.006	0.001	mg/L	200.8	
7440-38-2	ARSENIC	ND	0.010	0.002	mg/L	200.8	
7440-39-3	BARIUM	ND	2.0	0.010	mg/L	200.8	
7440-41-7	BERYLLIUM	ND	0.004	0.001	mg/L	200.8	
7440-43-9	CADMIUM	ND	0.005	0.001	mg/L	200.8	
7440-47-3	CHROMIUM	ND	0.10	0.005	mg/L	200.8	
57-12-5	CYANIDE	ND	0.2	0.040	mg/L	SM4500-CN F	
16984-48-8	FLUORIDE	ND	2	0.10	mg/L	300.0	
7439-92-1	LEAD	ND	0.005	0.001	mg/L	200.8	
7439-97-6	MERCURY	ND	0.002	0.0002	mg/L	245.1	
7440-02-0	NICKEL	ND	0.1	0.001	mg/L	200.8	
14797-55-8	NITRATE-N	ND	10	0.10	mg/L	300.0	
14797-65-0	NITRITE-N	ND	1.0	0.10	mg/L	300.0	
E-10128	TOTAL NITRATE/NITRITE	ND	10	0.10	ug/L	300.0	
7782-49-2	SELENIUM	ND	0.050	0.005	mg/L	200.8	
7440-28-0	THALLIUM	ND	0.002	0.001	mg/L	200.8	

Notation:

A Result of "ND" Indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
 SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDR or IBWA.
 MRL - Method Reporting Limit.
 An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples. If you have any questions concerning this report contact Lawrence Henderson at the above phone number.

FDA STANDARD OF QUALITY REPORT

Secondary Inorganic Parameters

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	COMMENT
7429-90-5	ALUMINUM	ND	0.2	0.010	mg/L	200.7	
16887-00-6	CHLORIDE	0.94	250	1	mg/L	300.0	
7440-50-8	COPPER	ND	1.0	0.005	mg/L	200.8	
7439-89-6	IRON	ND	0.3	0.050	mg/L	200.7	
7439-96-5	MANGANESE	ND	0.05	0.001	mg/L	200.8	
7440-22-4	SILVER	ND	0.10	0.010	mg/L	200.8	
14808-79-8	SULFATE	0.7	250	10	mg/L	300.0	
E-10173	TOTAL DISSOLVED SOLIDS (TDS)	ND	500	10	mg/L	SM2540 C	
7440-66-6	ZINC	ND	5.00	0.050	mg/L	200.8	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.

SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.

MRL - Method Reporting Limit.

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.

FDA STANDARD OF QUALITY REPORT

Volatile Organic Chemicals (VOCs)

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	COMMENT
71-55-6	1,1,1 - TRICHLOROETHANE	ND	200	0.4	ug/L	524.2	
79-00-5	1,1,2 - TRICHLOROETHANE	ND	5	0.4	ug/L	524.2	
75-35-4	1,1 - DICHLOROETHYLENE	ND	7	0.4	ug/L	524.2	
120-82-1	1,2,4 - TRICHLOROBENZENE	ND	70	0.4	ug/L	524.2	
107-06-2	1,2 - DICHLOROETHANE	ND	5	0.4	ug/L	524.2	
78-87-5	1,2 - DICHLOROPROPANE	ND	5	0.4	ug/L	524.2	
71-43-2	BENZENE	ND	5	0.4	ug/L	524.2	
56-23-5	CARBON TETRACHLORIDE	ND	5	0.4	ug/L	524.2	
156-59-2	CIS - 1,2 - DICHLOROETHYLENE	ND	70	0.4	ug/L	524.2	
156-60-5	TRANS - 1,2 - DICHLOROETHYLENE	ND	100	0.4	ug/L	524.2	
100-41-4	ETHYLBENZENE	ND	700	0.4	ug/L	524.2	
75-09-2	METHYLENE CHLORIDE (DICHLOROMI	ND	5	0.4	ug/L	524.2	
108-90-7	MONOCHLOROBENZENE	ND	100	0.4	ug/L	524.2	
95-50-1	O - DICHLOROBENZENE	ND	600	0.4	ug/L	524.2	
106-46-7	P - DICHLOROBENZENE	ND	75	0.4	ug/L	524.2	
100-42-5	STYRENE	ND	100	0.4	ug/L	524.2	
127-18-4	TETRACHLOROETHYLENE	ND	5	0.4	ug/L	524.2	
108-88-3	TOLUENE	ND	1000	0.4	ug/L	524.2	
79-01-6	TRICHLOROETHYLENE	ND	5	0.4	ug/L	524.2	
75-01-4	VINYL CHLORIDE	ND	2	0.4	ug/L	524.2	
1330-20-7	XYLENES (TOTAL)	ND	10000	0.4	ug/L	524.2	
75-27-4	BROMODICHLOROMETHANE	ND		0.4	ug/L	524.2	
124-48-1	CHLORODIBROMOMETHANE	ND		0.4	ug/L	524.2	
67-66-3	CHLOROFORM	ND		0.4	ug/L	524.2	
75-25-2	BROMOFORM	ND		0.4	ug/L	524.2	
E-14471	TOTAL TRIHALOMETHANE	ND	10	0.4	ug/L	524.2	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
 SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDR or IBWA.
 MRL - Method Reporting Limit.

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.

FDA STANDARD OF QUALITY REPORT

Synthetic Organic Chemicals (SOCs)

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	COMMENT
93-72-1	* 2,4,5 - TP (SILVEX)	ND	50	0.4	ug/L	515.4	
94-75-7	* 2,4 - D	ND	70	0.2	ug/L	515.4	
15972-60-8	ALACHLOR	ND	2	0.2	ug/L	525.2	
1912-24-9	ATRAZINE	ND	3	0.1	ug/L	525.2	
1563-66-2	CARBOFURAN	ND	40	1	ug/L	531.2	
57-74-9	CHLORDANE	ND	2	0.2	ug/L	525.2	
96-12-8	DIBROMOCHLOROPROPANE (DBCP)	ND	0.2	0.04	ug/L	504.1	
88-85-7	* DINOSEB	ND	7	0.4	ug/L	515.4	
72-20-8	ENDRIN	ND	2	0.01	ug/L	525.2	
106-93-4	ETHYLENE DIBROMIDE (EDB)	ND	0.05	0.02	ug/L	504.1	
76-44-8	HEPTACHLOR	ND	0.4	0.04	ug/L	525.2	
1024-57-3	HEPTACHLOR EPOXIDE "B"	ND	0.2	0.02	ug/L	525.2	
58-89-9	LINDANE (BHC - GAMMA)	ND	0.2	0.02	ug/L	525.2	
72-43-5	METHOXYCHLOR	ND	40	0.1	ug/L	525.2	
23135-22-0	OXYMAL (VYDATE)	ND	200	1	ug/L	531.2	
87-86-5	PENTACHLOROPHENOL	ND	1	0.04	ug/L	525.2	
1918-02-1	* PICLORAM	ND	500	0.2	ug/L	515.4	
1336-36-3	POLYCHLORINATED BIPHENYLS (PCB)	ND	0.5	0.2	ug/L	508.1	
75-99-0	* DALAPON	ND	200	2	ug/L	515.4	
122-34-9	SIMAZINE	ND	4	0.07	ug/L	525.2	
8001-35-2	TOXAPHENE	ND	3	1	ug/L	525.2	
41903-57-5	DIOXIN (2,3,7,8-TETRACHLORODIBENZ)	ND	30	5	pg/L	1613	Analyzed by UL
85-00-7	DIQUAT	ND	20	2	ug/L	549.2	
145-73-3	ENDOTHALL	ND	100	20	ug/L	548.1	
1071-83-6	GLYPHOSATE	ND	700	10	ug/L	547	
50-32-8	BENZO(A)PYRENE	ND	0.2	0.02	ug/L	525.2	
103-23-1	DI(ETHYLHEXYL)-ADIPATE	ND	400	1.32	ug/L	525.2	
118-74-1	HEXACHLOROBENZENE	ND	1	0.1	ug/L	525.2	
77-47-4	HEXACHLOROCYCLO-PENTADIENE	ND	50	0.1	ug/L	525.2	
E-10253	TOTAL RECOVERABLE PHENOLICS	NA	1	1	ug/L	420.1	Not Analyzed

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.

SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDR or IBWA.

MRL - Method Reporting Limit.

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.

FDA STANDARD OF QUALITY REPORT

Water Properties

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	COMMENT
E-10139	HYDROGEN ION (pH)	7.49			pH Units	150.1	
E-11712	COLOR	ND	15	5	COLOR U	SM2120 B	
E-11734	ODOR	ND	3	1	TON	SM2150	
E-10617	TURBIDITY	0.05	1	0.05	NTU	180.1	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
 SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.
 MRL - Method Reporting Limit.

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.

FDA STANDARD OF QUALITY REPORT

Disinfectants/DBP

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	COMMENT
NA	HAA(5)	ND	60	0	ug/L	552.2	
15541-45-4	* BROMATE	ND	0.010	0.005	mg/L	300.1	
7758-19-2	* CHLORITE	ND	1.00	0	mg/L	300.1	
	* CHLORAMINES TOTAL	ND	4.0	0.05	mg/L	SM4500-Cl G	
7782-50-5	FREE CHLORINE RESIDUAL	ND	4.0	0.05	mg/L	SM4500-Cl G	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.

SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDR or IBWA.

MRL - Method Reporting Limit.

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.

FDA STANDARD OF QUALITY REPORT

Radiological Contaminants

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	COMMENT
12587-46-1	GROSS ALPHA	ND	15		pCi/L	900.0	Analyzed by UL
12587-47-2	GROSS BETA	ND	50		pCi/L	900.0	Analyzed by UL
13982-63-3	RADIUM 226	ND	5		pCi/L	903.1	Analyzed by UL
	Radium 228	ND	5	5	pCi/L	904.0	Analyzed by UL
7440-61-1	URANIUM	ND	0.030	0.001	mg/L	200.8	

Notation:

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.
 SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDR or IBWA.
 MRL - Method Reporting Limit.

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.

Data Report

Sample Description: FDA Annual Product - Purified Water
Lab Number: 6468

Sample Date: 3/5/09
Collected By: Hilda Menendez

CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Analyzed	Analyst	Batch	Comment
7440-70-2	CALCIUM	1.66	0.50	0.017	mg/L	1	200.7	3/12/09	BJ	200.7-090312A	
E-10184	ELECTRICAL CONDUCTIVITY	21.1	10		uS/cm	1	SM2510 B	3/12/09	CCN	EC_090312	
E-11778	HARDNESS	5.83	10	0.055	mg CaCO3/L	1	200.7	3/12/09	BJ	200.7-090312A	
7439-95-4	MAGNESIUM	ND	0.50	0.003	mg/L	1	200.7	3/12/09	BJ	200.7-090312A	
7440-23-5	SODIUM	2.07	0.50	0.03	mg/L	1	200.7	3/12/09	BJ	200.7-090312A	
80-05-7	*BISPHENOL-A	ND	1		ug/L	1	525.2/3535	3/21/09	CO	525_090318	

Notes:

ND = Not detected above the listed practical quantitation limit (PQL) or not above the Method Detection Limit (MDL), if requested.
PQL = Practical Quantitation Limit is the lowest level that can be achieved within specified limits of precision and accuracy during routine laboratory operating conditions.
D.F. = Dilution Factor

An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.